

SEQ ID NO: 171, SEQ ID NO: 172, SEQ ID NO: 173, SEQ ID NO: 174, SEQ ID NO: 195, SEQ ID NO: 196, SEQ ID NO: 197, SEQ ID NO: 213, SEQ ID NO: 214, and SEQ ID NO: 215.

55. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a respiratory tract microorganism-specific nucleic acid sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 101, SEQ ID NO: 102, SEQ ID NO: 103, SEQ ID NO: 104, SEQ ID NO: 105, SEQ ID NO: 106, SEQ ID NO: 157, SEQ ID NO: 158, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 161, SEQ ID NO: 162, SEQ ID NO: 164, SEQ ID NO: 165, SEQ ID NO: 166, SEQ ID NO: 167, SEQ ID NO: 168, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 172, SEQ ID NO: 173, SEQ ID NO: 174, SEQ ID NO: 112, SEQ ID NO: 113, SEQ ID NO: 114, SEQ ID NO: 115, SEQ ID NO: 139, SEQ ID NO: 140, SEQ ID NO: 141, SEQ ID NO: 142, SEQ ID NO: 143, SEQ ID NO: 144, SEQ ID NO: 126, SEQ ID NO: 127, SEQ ID NO: 128, SEQ ID NO: 129 and SEQ ID NO: 130.

56. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a cerebrospinal fluid microorganism-specific nucleic acid sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 116, SEQ ID NO: 119, SEQ ID NO: 120, SEQ ID NO: 121, SEQ ID NO: 213, SEQ ID NO: 214 and SEQ ID NO: 215.

57. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a uro-genital tract microorganism-specific nucleic acid sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of :
SEQ ID NO: 122, SEQ ID NO: 123 and SEQ ID NO: 197.

58. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a food sample microorganism-specific nucleic acid sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of:
SEQ ID NO: 116, SEQ ID NO: 119, SEQ ID NO: 120, SEQ ID NO: 121, SEQ ID NO: 213, SEQ ID NO: 214, SEQ ID NO: 215, SEQ ID NO: 139, SEQ ID NO: 140, SEQ ID NO: 141, SEQ ID NO: 142, SEQ ID NO: 143, SEQ ID NO: 144, SEQ ID NO: 131, SEQ ID NO: 132, SEQ ID NO: 154, SEQ ID NO: 133, SEQ ID NO: 134, SEQ ID NO: 135, SEQ ID NO: 136, SEQ ID NO: 137, SEQ ID NO: 138, SEQ ID NO: 195 and SEQ ID NO: 196.

59. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a gastrointestinal tract microorganism-specific nucleic acid sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of:
SEQ ID NO: 133, SEQ ID NO: 134, SEQ ID NO: 135, SEQ ID NO: 136, SEQ ID NO: 137, SEQ ID NO: 138, SEQ ID NO: 195 and SEQ ID NO: 196.

60. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium kansasii*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 101, SEQ ID NO: 167, SEQ ID NO: 168 and SEQ ID NO: 169.

61. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium chelonae*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 102, SEQ ID NO: 103 and SEQ ID NO: 174.

AI
Cm
62. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium gordonae*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 104, SEQ ID NO: 105 and SEQ ID NO: 106.

63. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium ulcerans* or a *Mycobacterium marinum*-specific sequence comprising the 16S-23S rRNA spacer sequence of SEQ ID NO: 157.

64. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium genavense*-specific sequence comprising a 16S-23S

rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 158, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 161 and SEQ ID NO: 162.

65. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium simiae*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 164 and SEQ ID NO: 165.

66. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium fortuitum*-specific sequence comprising the 16S-23S rRNA spacer sequence of SEQ ID NO: 166.

67. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium haemophilum*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 171, SEQ ID NO: 172 and SEQ ID NO: 173.

68. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Mycobacterium malmoense*-specific sequence comprising the 16S-23S rRNA spacer sequence of SEQ ID NO: 107.

69. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is *Pseudomonas*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 112, SEQ ID NO: 113, SEQ ID NO: 114 and SEQ ID NO: 115.

70. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Staphylococcus aureus*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 139, SEQ ID NO: 140, SEQ ID NO: 141, SEQ ID NO: 142 and SEQ ID NO: 143.

AI
Cm
71. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Staphylococcus epidermis*-specific sequence comprising the 16S-23S rRNA spacer sequence of SEQ ID NO: 144.

72. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is an *Acinetobacter*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 126, SEQ ID NO: 127, SEQ ID NO: 128, SEQ ID NO: 129 and SEQ ID NO: 130.

73. (new) A nucleic acid sequence according to claim 72, wherein said nucleic acid sequence is an *Acinetobacter baumannii*-specific sequence comprising the 16S-23S rRNA spacer sequence of SEQ ID NO: 126.

74. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Listeria*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 116, SEQ ID NO: 119, SEQ ID NO: 120, SEQ ID NO: 121, SEQ ID NO: 213, SEQ ID NO: 214 and SEQ ID NO: 215.

75. (new) A nucleic acid sequence according to claim 74, wherein said nucleic acid sequence is a *Listeria monocytogenes*-specific sequence comprising the large 16S-23S rRNA spacer sequence of SEQ ID NO: 120.

AI
Cm
76. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Brucella*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 131, SEQ ID NO: 132 and SEQ ID NO: 154.

77 (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Salmonella*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 133, SEQ ID NO: 134, SEQ ID NO: 135, SEQ ID NO: 136, SEQ ID NO: 137 and SEQ ID NO: 138.

78. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Chlamydia trachomatis*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 123 and SEQ ID NO: 197.

79. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Chlamydia psittaci*-specific sequence comprising the 16S-23S rRNA spacer sequence SEQ ID NO: 122.

AI
Cm
80. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Streptococcus*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 145, SEQ ID NO: 146, SEQ ID NO: 147, SEQ ID NO: 148, SEQ ID NO: 149, SEQ ID NO: 150, SEQ ID NO: 151, SEQ ID NO: 152 and SEQ ID NO: 153.

81. (new) A nucleic acid sequence according to claim 54, wherein said nucleic acid sequence is a *Yersinia enterocolitica*-specific sequence comprising a 16S-23S rRNA spacer sequence selected from the group consisting of: SEQ ID NO: 195 and SEQ ID NO: 196.

82. (new) Method for the detection and identification of at least one micro-organism, or for the simultaneous detection of several micro-organisms in a sample, comprising the steps of:

- (i) optionally releasing, isolating and/or concentrating the polynucleic acids from a micro-organism to be detected in the sample;
- (ii) optionally amplifying the 16S-23S rRNA spacer region, or a part thereof, from a micro-organism to be detected, with at least one primer pair;
- (iii) detecting the presence of a nucleic acid according to claim 54;
- (iv) identifying the micro-organism present in said sample from the nucleic acid detected in said sample.

83. (new) Method according to claim 82 wherein said detecting comprises sequence analysis of said nucleic acid.

84. (new) A composition comprising a diluent and a sequencing primer that specifically hybridizes with a 16S-23S rRNA spacer sequence of claim 54.

85. (new) A kit for the detection and identification of at least one micro-organism, or for the simultaneous detection and identification of several micro-organisms in a sample comprising a composition according to claim 84.

Sub
B3

86. (new) Method according to claim 82 wherein said detecting comprises hybridizing a taxon-specific probe to said nucleic acid, said probe specifically hybridizing with a 16S-23S rRNA spacer sequence of claim 54.

87. (new) A composition comprising a diluent and a taxon-specific probe that specifically hybridizes with a 16S-23S rRNA spacer sequence of claim 54.

AI
Cm

88. (new) A kit for the detection and identification of at least one micro-organism, or for the simultaneous detection and identification of several micro-organisms in a sample comprising the following components:

- (i) optionally, at least one primer pair allowing amplification of a 16S-23S rRNA spacer region, or a part thereof;
- (ii) a composition according to claim 87;
- (iii) optionally, a buffer, or components necessary to produce the buffer, enabling a hybridization reaction between a probe of (ii) and a nucleic acid present in a sample, or amplified products thereof;
- (v) optionally, a solution, or components necessary for producing the solution, enabling washing of hybrids formed under the appropriate wash conditions;
- (vi) optionally, a means for detecting the hybrids resulting from hybridization.--

REMARKS

Entry of the above and attached is requested.